(19) 世界知的所有権機関



) – I STATE RINNYTH IN BYTHIR HELD EIGH EIGH EIGH EIGH EIGH EIGH HEIGE EIGH LETTE HAT EIGHAN EIGH HELD HEIG EIG

(43) 国際公開日 2004 年2 月26 日 (26.02.2004)

国際事務局

PCT

(10) 国際公開番号 WO 2004/016781 A1

(51) 国際特許分類⁷: C12N 15/09, C12P 21/02, C07K 14/00, 16/00, G01N 33/15, 33/48, 33/50, G06F 17/30

(21) 国際出願番号:

PCT/JP2003/010288

(22) 国際出願日:

2003年8月13日(13.08.2003)

(25) 国際出願の言語:

日本語

(26) 国際公開の言語:

日本語

(30) 優先権データ:

特願2002-236129 2002年8

2002年8月13日(13.08.2002) JF

(71) 出願人(米国を除く全ての指定国について): 理化学 研究所(RIKEN)[JP/JP]; 〒351-0198 埼玉県 和光市 広 沢2番1号 Saitama (JP). 財団法人かずさディー・エヌ・エー研究所 (KAZUSA DNA RESEARCH INSTITUTE) [JP/JP]; 〒292-0818 千葉県 木更津市 かずさ鎌足 2-6-7 Chiba (JP).


(72) 発明者; および

(75) 発明者/出願人 (米国についてのみ): 木川 隆則 (KI-GAWA,Takanori) [JP/JP]; 〒230-0045 神奈川県 横浜市鶴見区末広町 1-7-22 理化学研究所横浜研究所内 Kanagawa (JP). 横山 茂之 (YOKOYAMA,Shigeyuki) [JP/JP]; 〒230-0045 神奈川県 横浜市鶴見区末広町1-7-22 理化学研究所横浜研究所内 Kanagawa (JP). 小原 收 (OHARA,Osamu) [JP/JP]; 〒292-0818千葉県木更津市かずさ鎌足2-6-7 財団法人か

/続葉有/

(54) Title: HUMAN-ORIGIN PROTEINS FORMING DOMAIN AND USE THEREOF

(54) 発明の名称: ドメインを形成するヒト由来のタンパク質またはその用途



- A... VIABLE CELL COUNT RATIO (%)
- B... CONTROL
- C... 293 CELLS
- D... HeLa CÉLLS

(57) Abstract: It is intended to provide proteins forming a CAP-Gly-like domain which are meaningful in analyzing stereostructure, information concerning the structures thereof, etc. More specifically speaking, (1) a protein comprising the amino acid sequence represented by SEQ ID NO:1 or its salt; (2) a protein comprising an amino acid sequence represented by any of SEQ ID NOS:3, 5, 7 and 9 or its salt; (3) a protein having an amino acid sequence derived from the amino acid sequence represented by SEQ ID NO:7 by deletion of 0 to 10 amino acid residues from the N-end and deletion of 0 to 5 amino acid residues from the C-end and having 92 to 106 amino acid residues or its salt; (4) a protein having an amino acid sequence derived from any of the amino acid sequences of the proteins (1), (2) and (3) by deletion, substitution or addition of one to several amino acids and having a function substantially identical with such a protein (1), (2) or (3), or its salt; polynucleotides encoding the same; antibodies against the above proteins; a screening method using the same; a screening method using the stereostructures thereof; and so on.

(57) 要約: 本発明は、立体構造の解析に意味のあるドメインを形成する CAP-G I y様ドメインを形成する CAP-G I y様ドメインを形成するタンパク質およびその構造情報などを提供することを目的とする。具体的に本発明は、(1)配列番号1に記載されたアミノ酸配列からなるタンパク質又はその塩、(2)配れたアミノ酸配列からなるタンパク質又はそれらの塩、(3)。配列番号7に記載されたアミノ

酸配列のN末端からO個~10個のアミノ酸残基が欠損し、更にC末端からO個~5個のアミノ酸残基が欠損したアミノ酸配列を有し、アミノ酸残基数が92~

ずさディー・エヌ・エー研究所内 Chiba (JP). 長瀬隆弘 (NAGASE,Takahiro) [JP/JP]; 〒292-0818 千葉県木更津市かずさ鎌足 2-6-7 財団法人かずさディー・エヌ・エー研究所内 Chiba (JP). 菊野 玲子(KIKUNO,Reiko) [JP/JP]; 〒292-0818 千葉県 木更津市かずさ鎌足 2-6-7 財団法人かずさディー・エヌ・エー研究所内 Chiba (JP).

- (74) 代理人: 小林 浩, 外(KOBAYASHI, Hiroshi et al.); 〒 104-0028 東京都 中央区 八重洲二丁目 8 番 7 号 福岡 ビル 9 階 阿部・井窪・片山法律事務所 Tokyo (JP).
- (81) 指定国 (国内): CA, JP, US.
- (84) 指定国 (広域): ヨーロッパ特許 (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

添付公開書類:

一 国際調査報告書

2文字コード及び他の略語については、定期発行される 各PCTガゼットの巻頭に掲載されている「コードと略語 のガイダンスノート」を参照。

106であるタンパク質又はそれらの塩、(4)(1)、(2)又は(3)に記載のタンパク質のアミノ酸配列において、1若しくは数個のアミノ酸が欠失、置換又は付加されたアミノ酸配列からなり、(1)、(2)又は(3)に記載のタンパク質と実質的に同一の機能を有するタンパク質又はそれらの塩、それらの製造方法、それらをコードするポリヌクレオチド、それらのタンパク質に対する抗体、それらを用いるスクリーニング方法、それらの立体構造を用いたスクリーニング方法などを提供するものである。



A. CLA In	ASSIFICA t.Cl ⁷	TION OF SUBJECT MATTER C12N15/09, C12P21/02, C07K1 33/50, G06F17/30	14/00, 16/00, G01N33/15	, 33/48,
Accordin	According to International Patent Classification (IPC) or to both national classification and IPC			
B. FIE	LDS SEA	RCHED		
Minimui In	Minimum documentation searched (classification system followed by classification symbols) Int.Cl ⁷ C12N15/00-90, C12P21/02, C07K14/00, 16/00, G01N33/15, 33/48, 33/50, G06F17/00			
		arched other than minimum documentation to the o		•
Ge	ic data ba neBan DLINE	se consulted during the international search (name k/EMBL/DDBJ/SwissProt/PIR/Ge (STN)	of data base and, where practicable, sear eneSeq, CA/BIOSIS/WPIDS	ch terms used) /
		IS CONSIDERED TO BE RELEVANT		
Categor		Citation of document, with indication, where app		Relevant to claim No.
х	fa Na	Taham R., Bignell et al., "Identification of the milial cylindromatosis tumo ature Genetics, 2000, Vol.25 all text; particularly, Fig.	ur-suppressor gene", , pages 160 to 165	1-20
Y	03 C1	0 00/17355 A2 (INCYTE PHARM) 3 March, 2000 (03.03.00), aims; examples; sequence No EP 1114158 A2 & JP	. 9, 25	1-20
¥.	fo	Lehemann K. et al., "Sequence our cytoskeleton-associated our Biochemical Science, 1993, B; Full text; particularly,	proteins", Trends Vol.18, pages 82 to	1-20
× F	urther do	cuments are listed in the continuation of Box C.	See patent family annex.	
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published after the international filing date but later than the priority date and not in conflict with the application understand the principle or theory underlying the in document of particular relevance; the claimed invertonsidered novel or cannot be considered to involve step when the document of particular relevance; the claimed invertonsidered to involve an inventive step when the document of particular relevance; the claimed invertonsidered to involve an inventive step when the document of particular relevance; the claimed invertonsidered to involve an inventive step when the document published after the international filing and the priority date and not in conflict with the application understand the principle or theory underlying the in document of particular relevance; the claimed invertonsidered novel or cannot be considered to involve an inventive step when the document of particular relevance; the claimed invertonsidered to involve an inventive step when the document of particular relevance; the claimed invertonsidered to involve an inventive step when the document of particular relevance; the claimed invertonsidered to involve an inventive step when the document of particular relevance; the claimed invertonsidered novel or cannot be considered to involve an inventive step when the document of particular relevance; the claimed invertonsidered to involve an inventive step when the document of particular relevance; the claimed invertonsidered novel or cannot be considered to involve an inventive step when the document of pa			he application but cited to lerlying the invention claimed invention cannot be the to involve an inventive elected invention cannot be claimed invention cannot be p when the document is a documents, such a skilled in the art family	
1:	3 Nove	completion of the international search amber, 2003 (13.11.03)	Date of mailing of the international sear 25 November, 2003	
Name a	nd mailin apanes	g address of the ISA/ se Patent Office	Authorized officer	•
Facsimile No.		·	Telephone No.	



C (Continua	tion). DOCUMENTS CONSIDERED TO BE RELEVANT	
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	Eiko SEKI et al., "Kozo Genome Kagaku no tame no Tanpakushitsu Domain Sentakusei", Dai 23 Kai The Molecular Biology Society of Japan Nenkai, Program Koen Yoshishu, 2000, 4PA-069, Full text	1-20
Y	WO 01/042453 A1 (Hidakazu HIROAKE), 14 June, 2001 (14.06.01), Claims & JP 2001-544328 A	16-19
Y	JP 7-206894 A (Advanced Technology Institute Kabushiki Kaisha), 08 August, 1995 (08.08.95), Claims (Family: none)	20
P,X	WO 03/048341 A2 (UAB RESEARCH FOUNDATION), 12 June, 2003 (12.06.03), Claims (Family: none)	4-5,7-16,19
	,	
	·	
	·	
-		
•		,
	·	

A. 発明の属する分野の分類(国際特許分類(IPC))

Int. Cl⁷ Cl2N15/09, Cl2P21/02, CO7K14/00, 16/00, GO1N33/15, 33/48, 33/50, GO6F17/30

B. 調査を行った分野

調査を行った最小限資料(国際特許分類(IPC))

Int. Cl7 C12N15/00-15/90, C12P21/02, C07K14/00, 16/00, G01N33/15, 33/48, 33/50, G06F17/00

最小限資料以外の資料で調査を行った分野に含まれるもの

国際調査で使用した電子データベース (データベースの名称、調査に使用した用語)

GeneBank/EMBL/DDBJ/SwissProt/PIR/GeneSeq CA/BIOSIS/WPIDS/MEDLINE(STN)

C. 関連すると認められる文献

	2 BOW 2409 XIIV	·
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
x	Graham R. Bignell et al. "Identification of the familial cylindromatosis tumour-suppressor gene" Nature Genetics, 2000, Vol.25, p.160-165, 文献全体,特にFig.4参照	1–20
Y	WO 00/17355 A2, (INCYTE PHARMACEUTICALS Inc.) 2000.03.03, 特許請求の範囲,実施例及び配列番号9及び25等参照, & EP 1114158 A2 & JP 2002-526076 A	1-20
Y	Riehemann K. et al. "Sequence homologies between four cytoskeleton -associated proteins" Trends in Biochemical Science, 1993, Vol. 18, p. 82-83, 文献全体, 特にFigure 1参照	1-20

区欄の続きにも文献が列挙されている。

パテントファミリーに関する別紙を参照。

- * 引用文献のカテゴリー
- 「A」特に関連のある文献ではなく、一般的技術水準を示す もの
- 「E」国際出願日前の出願または特許であるが、国際出願日 以後に公表されたもの
- 「L」優先権主張に疑義を提起する文献又は他の文献の発行 日若しくは他の特別な理由を確立するために引用する 文献(理由を付す)
- 「O」ロ頭による開示、使用、展示等に言及する文献
- 「P」国際出願日前で、かつ優先権の主張の基礎となる出願

- の日の後に公表された文献
- 「T」国際出願日又は優先日後に公表された文献であって 出願と矛盾するものではなく、発明の原理又は理論 の理解のために引用するもの
- 「X」特に関連のある文献であって、当該文献のみで発明 の新規性又は進歩性がないと考えられるもの
- 「Y」特に関連のある文献であって、当該文献と他の1以 上の文献との、当業者にとって自明である組合せに よって進歩性がないと考えられるもの
- 「&」同一パテントファミリー文献

「「国际山族日前で、かつ慶九福の土族の基礎となる山族	
国際調査を完了した日 13.11.03	国際調査報告の発送日 25.11.03
国際調査機関の名称及びあて先 日本国特許庁(ISA/JP) 郵便番号100-8915 東京都千代田区霞が関三丁目4番3号	特許庁審査官(権限のある職員) 坂崎恵美子(日) 電話番号 03-3581-1101 内線 3488



国際出願番号。	—- 8	
	_	

	EDITION OF THE STATE OF THE STA	
C(続き).	関連すると認められる文献	
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
Y	関英子 et al. "構造ゲノム科学のためのタンパク質ドメイン選択性" 第23回日本分子生物学会年会 プログラム・講演要旨集, 2000, 4PA-069, 文献全体参照	1-20
Y	WO 01/042453 A1, (廣明秀一) 2001.06.14, 特許請求の範囲等参照, & JP 2001-544328 A	16-19
Y	JP 7-206894 A, (アドバンスドテクノロジーインスティテュート株式会社) 1995.08.08, 特許請求の範囲等参照, (ファミリーなし)	20
P, X	WO 03/048341 A2, (UAB RESEARCH FOUNDATION) 2003.06.12, 特許請求の範囲等参照, (ファミリーなし)	4-5, 7-16, 19
-		